



Phosphoric Acid

| Specification | | |
|-----------------|--------------------|--------------|
| Technical Grade | Purity (H3P04) | 85% min |
| | Cl | 0.0005% max |
| | S04 | 0.005% max |
| | Fe | 0.002% max |
| | As | 0.005% max |
| | Heavy Meta (as Pb) | 0.001% max |
| | Color | 30 max |
| Food Grade | Purity (H3P04) | 85% min |
| | As | 0.00005% max |
| | F | 0.001% max |
| | Heavy Meta (as Pb) | 0.0005% max |
| | H3P03 | 0.012% max |
| LCD Grade | Purity (H3P04) | 85% min |
| | Fe | 300 ppb max |
| | As | 200 ppb max |
| | Na | 150 ppb max |
| | Ca | 150 ppb max |
| | Mg | 150 ppb max |
| | Pb | 100 ppb max |
| | Cu | 100 ppb max |
| K | 100 ppb max | |

Add: 15a/F Shuncheng East Tower, 11 Dongfeng Road West, Kunming, Yunnan, China 650032
Tel : 86 871 3138337
Fax: 86 871 3179663
E-mail: marketing@yunphos.com



| | |
|-------|-------------|
| Ni | 100 ppb max |
| Al | 100 ppb max |
| Mn | 100 ppb max |
| Bi | 100 ppb max |
| Co | 100 ppb max |
| Sr | 100 ppb max |
| Color | 10 max. |

Packing & Container Loading

1. IMO approved plastic drums

N. W. : 35KG

G. W. : 36.6KG

19.956MT -26.6MT in 1×20' FCL

2. IMO approved plastic drums

N. W. : 330KG

G. W. : 340.5KG

19.86MT -26.4MT in 1×20' FCL

3. IBC containers

N. W. : 1600KG

G. W. : 1685KG

19.26MT -25.6MT in 1×20' FCL

4. ISO-tank containers

206MT -25MT/ISO-tank

5. Bulk shipment by tanker

1000MT -7000MT per shipment

Plants & Capacity

**Add: 15a/F Shuncheng East Tower, 11 Dongfeng
Road West, Kunming, Yunnan, China 650032**
Tel : 86 871 3138337
Fax: 86 871 3179663
E-mail: marketing@yunphos.com



| | |
|---|--------------|
| Yunphos songming Co.,Ltd. | 75, 000 MT/Y |
| Yunphos (Fangcheng) phosphorus Chemical Co.,Ltd. | 75, 000 MT/Y |
| Yunphos (Xundian) phosphorus & Electricity Co.,Ltd. | 75, 000 MT/Y |
| Yunphos (Taixin) Chemical Co.,Ltd. | 75, 000 MT/Y |

Standard

| | |
|-----------------|----------------|
| Technical Grade | GB/T 2091-2003 |
| Food Grade | GB 3149-2004 |

**Add: 15a/F Shuncheng East Tower, 11 Dongfeng
Road West, Kunming, Yunnan, China 650032**
Tel : 86 871 3138337
Fax: 86 871 3179663
E-mail: marketing@yunphos.com